L Number	Hits	Search Text	DB	Time stamp
1	4	jens near maier	USPAT;	2002/04/19 11:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
8	1	thomas near2 freitag	USPAT;	2002/04/19 11:00
0	_	chomas hearz frereag	US-PGPUB;	2002/04/13 11:00
}			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	. 4	1 ,3 , (USPAT;	2002/04/19 11:02
		freitag)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
22	1327	lead adjl in	USPAT;	2002/04/19 11:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
29	253	run adj1 in	IBM_TDB USPAT;	2002/04/19 11:03
27	233	1 2011 2011 211	US-PGPUB;	2002/04/19 11:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
36	497947	address	USPAT;	2002/04/19 11:26
			US-PGPUB; EPO; JPO;	
		•	DERWENT;	
			IBM TDB	
43	1067	address near5 title	USPAT;	2002/04/19 11:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
50	42161	start adj2 time	USPAT;	2002/04/19 11:23
	12101	Start days time	US-PGPUB;	2002/01/13 11:23
			EPO; JPO;	
			DERWENT;	
6.7	2660	1	IBM_TDB	0000 (04 (10 11 06
57	3660	track near3 jump	USPAT; US-PGPUB;	2002/04/19 11:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
64	1579	(lead adjl in) or (run adjl in)	USPĀT;	2002/04/19 11:06
			US-PGPUB;	
'			EPO; JPO; DERWENT;	
			IBM TDB	
71	1	(address near5 title) and ((lead adj1 in)	USPAT;	2002/04/19 11:07
		or (run adjl in))	US-PGPUB;	
]			EPO; JPO;	
			DERWENT;	
78	10.83463	table or toc	IBM_TDB USPAT;	2002/04/19 11:24
'	10.03403	table of too	US-PGPUB;	2002/04/19 11:24
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
86	103	((lead adj1 in) or (run adj1 in)) and	USPAT;	2002/04/19 11:09
		(table or toc)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
93	537	(address near5 title) and (table or toc)	USPAT;	2002/04/19 11:09
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
L			IBM TDB	

Search History

4/19/02 12:23:35 PM

107 30	107 30 (track near] jump) and ((start adj2 time) 108					
107 30	107 30	100	. 122		US-PGPUB; EPO; JPO;	2002/04/19 11:10
114	114	107	30		IBM_TDB USPAT;	2002/04/19 11:10
114	114				EPO; JPO; DERWENT;	
116	123 29109 address near5 (program or title)	1	i		USPAT	2002/04/19 11:16
123 8617 start adj2 (title or program) Start adj2 (tit	123 8617 start adj2 (title or program) Start adj2 (title or program) 1050 (table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 (table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 1050 (1050 1050	i i		address near5 (program or title)		
Self Start adj2 (title or program) IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; USPAT;	123 8617 start adj2 (title or program) IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; Or title) and (start adj2 (title or program) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USP	110	23103	address hears (program of citte)	US-PGPUB; EPO; JPO;	2002/04/19 11:22
1050 (table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) (lead adj1 in) or (run adj1 in)) and (lead adj2 (title) (table or toc) and (address near5 (program or title)) and (start adj2 (title) (torpogram) (table or toc) and (address near5 (program)) (lead adj1 in) or (run adj1 in)) and (spart) (spart) (spart) (top) (spart) (spar	130	123	8617	start adj2 (title or program)	IBM_TDB USPAT;	2002/04/19 11:45
1050	1050				EPO; JPO; DERWENT;	
137 3 ((lead adj1 in) or (run adj1 in)) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) address near7 begin\$5 2002/04/19 11:3 2002/	137 3	130	1050	or title)) and (start adj2 (title or	USPĀT; US-PGPUB;	2002/04/19 11:25
137 3	137 3			,	DERWENT;	
((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) 144	((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) 144	137	3	((lead adil in) or (run adil in)) and		2002/04/10 11.25
144	144	157	3			2002/04/19 11:25
14318 address near7 begin\$5 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWE	14318 address near7 begin\$5 USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; CPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; CPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PG				DERWENT;	
151 316 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	Second S	144	14318	address near7 begin\$5	USPĀT;	2002/04/19 11:32
151 316 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5) DERWENT; IBM_TDB (Start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5)) DERWENT; IBM_TDB (start adj2 (title or program))) and (address near7 begin\$5)) DERWENT; IBM_TDB (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (itable or toc) DERWENT; IBM_TDB (itable adj3 content itable) and (itable or toc) DERWENT; IBM_TDB (itable adj3 content itable) is spar; itable adj3 content itable is spar; itable is spar; itable adj3 content itable is spar; itable is spar; itable adj3 content itable is spar; ita	151 316 ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5) EPO; JPO; DERWENT; IBM TDB (Start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (start adj2 (title or program))) and (start adj2 (title or program))) and (program or title))				EPO; JPO;	
(program or title)) and (start adj2 (title or program))) and (address near7 begin\$5) 158 316 (table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (program or title)) and (program or title) and (program or title)) and (program or title) and (program or title)) and (program or title)) and (program or title)) and (program or title)	(program or title) and (start adj2 (title or program)) and (address near7 begin\$5) DERWENT; DERWE	151	21.0	//hable on heat and /address need		0000/04/10 11 00
or program))) and (address near7 begin\$5) 158 316 (table or toc) and (((table or toc) and (address near5 (program or title)) and (program or title) a	Or program))) and (address near7 begin\$5) EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; USPĀT; US-PGPUB; USPĀ	131	310			2002/04/19 11:32
158 316 (table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) and (address near7 begin\$5)) 165 0 ((lead adj1 in) or (run adj1 in)) and (start adj2 (title or program)) and (start adj2 (title or program)) and (address near5 (program or title)) and (start adj2 (title or program)) and (address near5 title) and ((table or toc) and (((table or toc) and ((((table or toc) and (((table or toc) and ((((table or toc) and ((((table or toc) and ((((table or toc) and ((((table or toc) and (((((table or toc) and (((((table or toc) and (((((table or toc) and (((((((((((((((((((((((((((((((((((158 316 (table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) and (address near7 begin\$5)) ((lead adj1 in) or (run adj1 in)) and (address near5 (program or title)) and (address near5 (program or title)) and (address near5 (program or title)) and (address near5 title) and ((table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program)) (start adj2 (title or toc) and (address near5 (program or title)) and (start adj2 (title or program)) (address near5 (program or title)) and (start adj2 (title or toc) and (address near5 (program or title)) and (start adj2 (title or program))) (start adj2 (title or program)) (start adj2 (title or program))) (start adj2 (title or program))) (start adj2 (title or program)) (start adj2		į		EPO; JPO;	
316	158				1	
(start adj2 (title or program))) and (address near7 begin\$5)) ((lead adj1 in) or (run adj1 in)) and (start adj2 (title or program or title)) and (start adj2 (title or program))) and (address near5 title) and (start adj2 (title or toc) and (start adj2 (title or program))) and (start adj2 (title or program)) and (address near5 (program or title)) and (start adj2 (title or program)) and (address near7 (program or title)) and (address near7 (program or title)) and (start adj2 (title or program)) begin\$5))) 179 14151 table adj3 content (start adj2 (in) (program or title)) and (start adj2 (title or program)) and (address near7 (program)) begin\$5))) 189 189 189 189 189 189 189	(start adj2 (title or program))) and (address near7 begin\$5)) DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀT; USPĀT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB USPĀT; IBM_TDB IB	158	316			2002/04/19 11:36
(address near7 begin\$5)) ((lead adjl in) or (run adjl in)) and (USPAT; (IBM_TDB) (Idable or toc) and ((table or toc) and (USPAT; (IBM_TDB) (Idadress near5 (program or title)) and (Idadress near5 (program))) and (Idadress near7 begin\$5))) (address near7 begin\$5)) (address near5 title) and ((table or toc) (Idadress near5 (program or title)) and (Idadress near5 (program))) and (Idadress near5 (program)) and (Idadress near5 (program)) begin\$5))) 179	(address near7 begin\$5)) ((lead adj1 in) or (run adj1 in)) and (table or toc) and ((table or toc) and ((table or toc) and (start adj2 (title or program))) and (address near5 title) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 172 20 (address near5 title) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program)) and (start adj2 (title or program))) and (start adj2 (title or program))) and (start adj2 (title or program)) and (start adj2 (title or program))) and (start adj2 (title or toc) and (start adj2 (title or toc) and (start adj2 (title or program))) and (start adj2 (title or toc) and					
165 0 ((lead adjl in) or (run adjl in)) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (program or title)) and (program or title) and (address near7 begin\$5))) 172 20 (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 table adj3 content IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; IBM_TDB USPAT; US-PGPUB;	165 0 ((lead adj1 in) or (run adj1 in)) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (address near7 begin\$5)))					
((table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 20 (address near5 title) and ((table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 (14151 table adj3 content US-PGPUB; EPO; JPO; DERWENT; Degin\$5))) 179 (14151 table adj3 content US-PGPUB; US-PGPUB	((table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 172 20 (address near5 title) and ((table or toc) and (start adj2 (title or program))) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 table adj3 content 186 58 ((table or toc) and (((table or toc) and (address near5 (program or title))) and (program) (start adj2 (title or program))) and 58 ((table or toc) and (((table or toc) and (address near5 (program or title))) and (program) (program))) and 186 (start adj2 (title or program))) and 187 (program or title)) and (program) (program	1.65			IBM_TDB	
(address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 20 (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 table adj3 content (address near7 begin\$5))) 179 14151 table adj3 content EPO; JPO; DERWENT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB;	(address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 20 (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program))) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 (14151 table adj3 content ((table or toc) and (address near7 begin\$5))) 186 (table or toc) and (((table or toc) and (address near5 (program or title)) and (babe) and (bab) and (ba	165	0		i .	2002/04/19 11:33
(address near7 begin\$5))) (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 (address near7 begin\$5)) (program or title) and (start adj2 (title or program)) and (address near7 begin\$5))) 179 14151 (address near7 begin\$5)) (program or title) and (start adj2 (title begin\$5))) 18M TDB USPAT; DERWENT; IBM TDB USPAT; US-PGPUB;	(address near7 begin\$5))) (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 14151 186 58 ((table or toc) and (((table or toc) and (address near7 begin\$5))) ((table or toc) and (((table or toc) and (address near5 (program or title))) and (begin\$5))) ((table or toc) and (((table or toc) and (address near5 (program or title)))) ((table or toc) and ((table or toc) and (table or toc) and (table or toc))) ((table or toc) and (table or toc)) ((table or toc) and (table or toc) (table or toc) and (table or toc)		•			
172 20 (address near5 title) and ((table or toc) and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5))) 179 14151 table adj3 content USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB;	20 (address near5 title) and ((table or toc) and ((table or toc) and ((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 begin\$5)) table adj3 content 14151 table adj3 content 186 58 ((table or toc) and (((table or toc) and (address near5 (program or title)) and (by PAT; (address near5 (program or title)) and (by PAT; (content)) and (content) ((start adj2 (title or program))) and	DERWENT;	
and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 (begin\$5))) 179 14151 and (((table or toc) and (address near5 (PPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	and (((table or toc) and (address near5 (program or title)) and (start adj2 (title or program))) and (address near7 (pegin\$5))) 179 14151 14151 14151 158 ((table or toc) and (((table or toc) and (address near5 (program or title))) and (begin\$5))) ((table or toc) and (((table or toc) and (address near5 (program or title)))) and (begin\$5) ((table or toc) and (begin\$5)) ((table or toc) and ((table or toc) and (begin\$5))) ((table or toc) and (begin\$5) ((table or toc) and (begin\$5]	172	20			2002/04/19 11.33
or program))) and (address near7 DERWENT; begin\$5))) 179	or program))) and (address near7 DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT;		23	and (((table or toc) and (address near5	US-PGPUB;	2002/04/15 11.55
begin\$5))) table adj3 content Degin\$5))) table adj3 content Degin\$5))) Degin\$5))) USPAT; Degin\$5)	begin\$5))) table adj3 content lame TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; (address near5 (program or title)) and US-PGPUB; (start adj2 (title or program))) and EPO; JPO;					
US-PGPUB;	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB ((table or toc) and (((table or toc) and USPAT; (address near5 (program or title)) and US-PGPUB; (start adj2 (title or program))) and EPO; JPO;	179	14151	begin\$5)))	IBM_TDB	2002/04/19 11:37
DERWENT;	186 58 ((table or toc) and (((table or toc) and USPĀT; 2002/04/19 11:3 (address near5 (program or title)) and US-PGPUB; (start adj2 (title or program))) and EPO; JPO;			•	US-PGPUB; EPO; JPO; DERWENT;	
	(address near5 (program or title)) and US-PGPUB; (start adj2 (title or program))) and EPO; JPO;	186	58	((table or toc) and (((table or toc) and		2002/04/19 11:37
(address near5 (program or title)) and US-PGPUB;			30	(address near5 (program or title)) and	US-PGPUB;	2002/04/15 11.3/
(start adj2 (title or program))) and EPO; JPO;				(start adj2 (title or program))) and		
	(address near7 begin\$5))) and (table adj3 DERWENT; content) IBM TDB					

				1 5 5 5 5 7 5 7 5 7 5 7 5 7 7 7 7 7 7 7
193	3	karaoki	USPAT; US-PGPUB;	2002/04/19 11:38
			EPO; JPO;	
	•		DERWENT;	
			IBM TDB	
	6344	karaoke	USPAT;	2002/04/19 11:38
200	6344	karaoke	US-PGPUB;	2002,01,13 11.33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
207	3	(((table or toc) and (((table or toc) and	USPAT;	2002/04/19 11:38
207		(address near5 (program or title)) and	US-PGPUB;	
	ļ	(start adj2 (title or program))) and	EPO; JPO;	1
		(address near7 begin\$5))) and (table adj3	DERWENT;	1
		content)) and karaoke	IBM_TDB	!
214	1		USPAT	2002/04/19 11:40
215	1		USPAT	2002/04/19 11:41
216	1455	start near4 playback	USPAT;	2002/04/19 11:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		1 Ar Liti.	IBM_TDB	2002/04/10 11.54
223	3842	select\$5 near5 title	USPAT; US-PGPUB;	2002/04/19 11:54
			EPO; JPO;	
			DERWENT;	
		•	IBM TDB	
230	91	(start near4 playback) and (select\$5 near5	USPAT;	2002/04/19 11:55
230	91	title)	US-PGPUB;	2002/01/13 11:03
		cicle	EPO; JPO;	
			DERWENT;	
			IBM TDB	1
237	21	(table adj3 content) and ((start near4	USPAT;	2002/04/19 12:03
20,		playback) and (select\$5 near5 title))	US-PGPUB;	1
	•		EPO; JPO;	
	·		DERWENT;	
		•	IBM_TDB	
244	1		USPAT	2002/04/19 12:00
245	136	(table adj3 content) and (start near4	USPAT;	2002/04/19 12:03
		playback)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
050	00	language and //wahla add2 content) and	IBM_TDB USPAT;	2002/04/19 12:09
252	20	karaoke and ((table adj3 content) and	US-PGPUB;	2002/04/19 12:09
		(start near4 playback))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
259	o	("jp9106659").PN.	USPAT;	2002/04/19 12:10
		, Jr/, ,	US-PGPUB;	`
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
266	1	jp09106659	USPAT;	2002/04/19 12:11
			US-PGPUB;	
			EPO; JPO;	
	·		DERWENT;	
			IBM_TDB	2002/04/12 12 12
273	1	1997jp-0106659.ap.	USPAT;	2002/04/19 12:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
200	2	"00106659"	USPAT;	2002/04/19 12:17
280	3	09106659"	US-PGPUB;	2002/04/19 12.11
I			EPO; JPO;	
		1	I MITO'S OTO'S	i .
			DERWENT;	

287	. 4	horii nearl tomomi	USPAT;	2002/04/19 12:18
207		north noath community	US-PGPUB;	:
1			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
294	20	kusakari nearl akira	USPAT;	2002/04/19 12:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
301	78	maruyama nearl yoshinori	USPAT;	2002/04/19 12:18
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	ļ
			IBM_TDB	
308	128	suzuki nearl shozo	USPAT;	2002/04/19 12:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
315	220	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/04/19 12:19
		akira) or (maruyama nearl yoshinori) or	US-PGPUB;	
		(suzuki nearl shozo)	EPO; JPO;	,
	1		DERWENT;	
			IBM_TDB	
322	1	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/04/19 12:20
		tomomi) or (kusakari nearl akira) or	US-PGPUB;	
		(maruyama nearl yoshinori) or (suzuki	EPO; JPO;	
		nearl shozo))	DERWENT;	İ
			IBM_TDB	0000/04/10 10 00
329	0	(start near4 playback) and ((horii near1	USPAT;	2002/04/19 12:20
		tomomi) or (kusakari nearl akira) or	US-PGPUB;	
		(maruyama nearl yoshinori) or (suzuki	EPO; JPO;	
		near1 shozo))	DERWENT;	
1	1		IBM TDB	1